

1. Product and Company Identification

Product identifier	Out Filter-Mate Heavy Duty Softener Cleaner
Other means of identification	Not available
Recommended use	Water Softener Resin Cleaner
Recommended restrictions	None known.
Manufacturer information	Iron Out dba Summit Brands 7201 Engle Road Fort Wayne, IN 46804-5875 US Phone: 260-483-2519 Emergency Phone: 1-800-424-9300 (CHEMTREC)

2. Hazards Identification

Physical hazards	Corrosive to metals	Category 1
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statement	
Prevention	Keep only in original container. Do not breathe the mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	Absorb spillage to prevent material damage. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. Specific treatment (see this label).
Storage	Store in corrosive resistant container with a resistant inner liner. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Phosphoric acid		7664-38-2	15-40
Alkyl benzyl dimethyl ammonium chloride		68424-85-1	0.1-1

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor/.
Skin contact	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center/doctor/. Wash contaminated clothing before reuse. Specific treatment (see product label).
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
Ingestion	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor/.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes, skin and clothing. Wear rubber gloves and chemical splash goggles. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Treat for surrounding material.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self- contained breathing apparatus.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of phosphorus.
Explosion data	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Never return spills in original containers for re-use. Clean surface thoroughly to remove residual contamination. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and Storage

Precautions for safe handling	DANGER -- CORROSIVE Avoid contact with eyes, skin and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Keep container tightly closed.
Conditions for safe storage, including any incompatibilities	Store in corrosive resistant container with a resistant inner liner. Store in a cool, dry place out of direct sunlight. Store locked up. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Phosphoric acid (CAS 7664-38-2)	PEL	1 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value
Phosphoric acid (CAS 7664-38-2)	STEL	3 mg/m3
	TWA	1 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Phosphoric acid (CAS 7664-38-2)	STEL	3 mg/m3
	TWA	1 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines See above

Appropriate engineering controls Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear chemical goggles.

Skin protection

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Other As required by employer code. Rubber apron recommended.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards Not applicable.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance	Clear
Physical state	Liquid.
Form	Liquid
Color	Blue
Odor	Characteristic
Odor threshold	Not available.
pH	< 1
Melting point/freezing point	Not available
Initial boiling point and boiling range	Not available
Pour point	Not available.
Specific gravity	1.1 - 1.11
Partition coefficient (n-octanol/water)	Not available
Flash point	None
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available
Flammability limit - upper (%)	Not available
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not available
Vapor density	Not available
Relative density	Not available.
Solubility(ies)	Complete
Auto-ignition temperature	Not available
Decomposition temperature	Not available.
Viscosity	Water thin

10. Stability and Reactivity

Reactivity	Reacts violently with alkaline material. This product may react with reducing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Incompatible with bases. Caustics. Oxidizers. Bases. Reducing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of phosphorus. Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion	Causes digestive tract burns.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Causes burns.

Components	Species	Test Results
------------	---------	--------------

Alkyl benzyl dimethyl ammonium chloride (CAS 68424-85-1)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Rat 426 mg/kg, LOLI

Phosphoric acid (CAS 7664-38-2)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, ECHA
2740 mg/kg, RTECS

Inhalation

LC50 Guinea pig, Mouse, Rabbit, Rat
5337 mg/m3, 1 Hours, ECHA
3846 mg/m3, 1 Hours, ECHA
1689 mg/m3, 1 Hours, ECHA
1217 mg/m3, 1 Hours, ECHA
856 mg/m3, 1 Hours, ECHA
271 mg/m3, 1 Hours, ECHA
193 mg/m3, 1 Hours, ECHA
61 mg/m3, 1 Hours

Components	Species	Test Results
<i>Oral</i> LD50	Rat	1530 mg/kg, RTECS 1.7 ml/100g
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Canada - Alberta OELs: Irritant		
Phosphoric acid (CAS 7664-38-2)	Irritant	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	Not classified.	
Mutagenicity	Not classified.	
Carcinogenicity	Not classified or listed by IARC, NTP, OSHA and ACGIH.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not listed.		
Reproductive toxicity	Not classified.	
Teratogenicity	Not classified.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be harmful.	
Further information	Not available.	
Name of Toxicologically Synergistic Products	Not available.	

12. Ecological Information

Ecotoxicity	See below		
Ecotoxicological data			
Components	Species		Test Results
Alkyl benzyl dimethyl ammonium chloride (CAS 68424-85-1)			
Aquatic			
Fish	LC50	Striped bass (<i>Morone saxatilis</i>)	10.4 - 19.1 mg/L, 96 hours
Phosphoric acid (CAS 7664-38-2)			
Aquatic			
<i>Acute</i>			
Crustacea	LC50	Water flea (<i>Daphnia magna</i>)	4.6 mg/L, 12 hr
Fish	LC50	Mosquitofish (<i>Gambusia affinis affinis</i>)	3 - 3.5 mg/L, 96 hr
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Mobility in general	Not available.		

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

U.S. Department of Transportation (DOT)**Basic shipping requirements:**

UN number	UN1805
Proper shipping name	Phosphoric acid solution
Hazard class	8
Packing group	III
Special provisions	A7, IB3, N34, T4, TP1
Packaging exceptions	Limited quantity <5L
Packaging non bulk	203
Packaging bulk	241

Transportation of Dangerous Goods (TDG - Canada)**Basic shipping requirements:**

UN number	UN1805
Proper shipping name	PHOSPHORIC ACID SOLUTION
Hazard class	8
Packing group	III
Packaging exceptions	Limited quantity <5L

DOT**TDG**

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada WHMIS Ingredient Disclosure: Listed substance

Phosphoric acid (CAS 7664-38-2)

Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS status Controlled
WHMIS classification Class E - Corrosive Material

WHMIS labeling



US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Phosphoric acid (CAS 7664-38-2) Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations This product is not subject to warning labeling under the California Proposition 65 regulation.

US - California Hazardous Substances (Director's): Listed substance

Phosphoric acid (CAS 7664-38-2) Listed.

US - Illinois Chemical Safety Act: Listed substance

Phosphoric acid (CAS 7664-38-2)

US - Louisiana Spill Reporting: Listed substance

Phosphoric acid (CAS 7664-38-2) Listed.

US - Minnesota Haz Subs: Listed substance

Phosphoric acid (CAS 7664-38-2) Listed.

US - New Jersey RTK - Substances: Listed substance

Phosphoric acid (CAS 7664-38-2)

US - Texas Effects Screening Levels: Listed substance

Alkyl benzyl dimethyl ammonium chloride (CAS 68424-85-1) Listed.

Phosphoric acid (CAS 7664-38-2) Listed.

US. Massachusetts RTK - Substance List

Phosphoric acid (CAS 7664-38-2)

US. Pennsylvania RTK - Hazardous Substances

Phosphoric acid (CAS 7664-38-2)

US. Rhode Island RTK

Phosphoric acid (CAS 7664-38-2)

US. California Proposition 65

Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 3
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date

28-August-2017

Effective date

28-August-2017

Expiry date

01-June-2018

Further information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

Redbook revision # 10, 10/15/12