

## 1. Product and Company Identification

<b>Product identifier</b>	<b>Lime OUT</b>
<b>Other means of identification</b>	Not available
<b>Recommended use</b>	Calcium and Lime Scale Stain Remover
<b>Recommended restrictions</b>	None known.
<b>Manufacturer information</b>	Iron Out dba Summit Brands 7201 Engle Road Fort Wayne, IN 46804-5875 US Phone: 260-483-2519 Emergency Phone: 1-800-424-9300 (CHEMTREC)
<b>Supplier</b>	See above.

## 2. Hazards Identification

<b>Physical hazards</b>	Corrosive to metals	Category 1
<b>Health hazards</b>	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
<b>Environmental hazards</b>	Not classified.	
<b>WHMIS 2015 defined hazards</b>	Not classified	
<b>Label elements</b>		



<b>Signal word</b>	Danger	
<b>Hazard statement</b>	May be corrosive to metals. Causes severe skin burns and eye damage.	
<b>Precautionary statement</b>		
<b>Prevention</b>	Keep only in original packaging. Do not breathe the mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.	
<b>Response</b>	Absorb spillage to prevent material-damage. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
<b>Storage</b>	Store in a corrosion resistant container with a resistant inner liner. Store locked up.	
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.	
<b>WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)</b>	None known	
<b>WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)</b>	None known	
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.	
<b>Supplemental information</b>	None.	

## 3. Composition/Information on Ingredients

### Mixture

Chemical name	Common name and synonyms	CAS number	%
Citric Acid		77-92-9	3 - 7*
Hydrochloric acid		7647-01-0	5 - 10*

Chemical name	Common name and synonyms	CAS number	%
Lactic Acid		79-33-4	3 - 7*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** \*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

#### 4. First Aid Measures

<b>Inhalation</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
<b>Skin contact</b>	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor. Specific treatment (see information on this label).
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
<b>Ingestion</b>	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
<b>Most important symptoms/effects, acute and delayed</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and chemical splash goggles. Keep out of reach of children.

#### 5. Fire Fighting Measures

<b>Suitable extinguishing media</b>	Dry chemical. Foam. Carbon dioxide. Fog.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters should wear full protective clothing including self-contained breathing apparatus.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon. Hydrogen chloride.

#### 6. Accidental Release Measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Should not be released into the environment.  Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Prevent entry into waterways, sewers, basements or confined areas.

## 7. Handling and Storage

**Precautions for safe handling** Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Avoid breathing vapors or mists of this product. Avoid contact with eyes, skin and clothing.

**Conditions for safe storage, including any incompatibilities** Store locked up. Store in corrosive resistant container with a resistant inner liner. Store in a closed container away from incompatible materials. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place.

## 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	3 mg/m <sup>3</sup>
		2 ppm

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm

#### Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7.5 mg/m <sup>3</sup>
		5 ppm

#### Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m <sup>3</sup>
		5 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m <sup>3</sup>
		5 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.

**Canada - Manitoba OELs: Skin designation**

2,6-Octadienal, 3,7-dimethyl- (CAS 5392-40-5)

Can be absorbed through the skin.

**Canada - Ontario OELs: Skin designation**

2,6-Octadienal, 3,7-dimethyl- (CAS 5392-40-5)

Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

2,6-Octadienal, 3,7-dimethyl- (CAS 5392-40-5)

Can be absorbed through the skin.

**Appropriate engineering controls**

Use only under good ventilation conditions or with respiratory protection.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear chemical goggles.

**Skin protection****Hand protection**

Rubber gloves. Confirm with a reputable supplier first.

**Other**

Wear appropriate chemical resistant clothing. Rubber apron recommended.

**Respiratory protection**

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

**Thermal hazards**

Not available.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Clear
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid
<b>Color</b>	Blue
<b>Odor</b>	Lime.
<b>Odor threshold</b>	Not available.
<b>pH</b>	< 1
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	1.058
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	None
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	200 - 300 cPs

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	Reacts vigorously with alkaline material. This product may react with reducing agents.
-------------------	--

<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals. Do not mix with bleach or any other chemical.
<b>Incompatible materials</b>	Caustics. Oxidizers. Bases. Reducing agents.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Hydrogen chloride.

## 11. Toxicological Information

**Routes of exposure** Inhalation. Ingestion. Skin contact. Eye contact.

**Information on likely routes of exposure**

<b>Ingestion</b>	Causes digestive tract burns.
<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes severe skin burns.
<b>Eye contact</b>	Causes serious eye damage.

**Symptoms related to the physical, chemical and toxicological characteristics** Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

**Information on toxicological effects**

**Acute toxicity**

Components	Species	Test Results
Citric Acid (CAS 77-92-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Mouse	5400 mg/kg, ECHA 5040 mg/kg, HSDB
	Rat	11700 mg/kg, ECHA 6730 mg/kg, HSDB
Hydrochloric acid (CAS 7647-01-0)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Mouse	1449 mg/kg
<i>Inhalation</i>		
LC50	Mouse	13745 ppm, 5 Minutes, ECHA 2644 ppm, 5 Minutes, ECHA 1108 ppm, 1 Hours 16.5 mg/L, 5 Minutes, ECHA 3.2 mg/L, 5 Minutes, ECHA
	Rat	40989 ppm, 5 Minutes, ECHA 4701 ppm, 5 Minutes, ECHA 2810 ppm, 1 Hours, EIGA 1405 ppm, 4 Hours, EIGA 45.6 mg/L, 5 Minutes, ECHA 8.3 mg/L, 5 Minutes, ECHA
<i>Oral</i>		
LD50	Rabbit	900 mg/kg, Sax's Dangerous Properties of Industrial Materials

Components	Species	Test Results
Lactic Acid (CAS 79-33-4)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg > 2000 mg/kg, 24 Hours
<i>Inhalation</i>		
LC50	Rat	> 7.9 mg/L, 4 Hours
<i>Oral</i>		
LD50	Guinea pig	1810 mg/kg
	Mouse	4875 mg/kg
	Rat	4936 mg/kg 3543 mg/kg
<b>Skin corrosion/irritation</b>	Causes severe skin burns and eye damage.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>ACGIH sensitization</b>		
2,6-Octadienal, 3,7-dimethyl- (CAS 5392-40-5)	Dermal sensitization	
<b>Canada - Alberta OELs: Irritant</b>		
Acetic acid, phenylmethyl ester (CAS 140-11-4)	Irritant	
Hydrochloric acid (CAS 7647-01-0)	Irritant	
<b>Canada - Manitoba OELs Hazard: Dermal sensitization</b>		
2,6-Octadienal, 3,7-dimethyl- (CAS 5392-40-5)	Dermal sensitization	
<b>Respiratory sensitization</b>	Not available.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	See below.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Acetic acid, phenylmethyl ester (CAS 140-11-4)	Volume 40, Supplement 7, Volume 71 - 3 Not classifiable as to carcinogenicity to humans.	
Hydrochloric acid (CAS 7647-01-0)	Volume 54 - 3 Not classifiable as to carcinogenicity to humans.	
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>		
Not listed.		
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.	
<b>Teratogenicity</b>	Not classified.	
<b>Specific target organ toxicity - single exposure</b>	Not classified.	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Not available.	
<b>Chronic effects</b>	Prolonged inhalation may be harmful.	

## 12. Ecological Information

**Ecotoxicity** Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems. See below

**Ecotoxicological data**

Components	Species		Test Results
Citric Acid (CAS 77-92-9)			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	120 mg/L, 72 hr
<b>Aquatic</b>			
<i>Acute</i>			
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )	1516 mg/L, 96 hr
Hydrochloric acid (CAS 7647-01-0)			
<b>Aquatic</b>			
Fish	LC50	Western mosquitofish ( <i>Gambusia affinis</i> )	282 mg/L, 96 hours
Lactic Acid (CAS 79-33-4)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea ( <i>Daphnia magna</i> )	180 - 320 mg/L, 48 hours
<b>Persistence and degradability</b>	No data is available on the degradability of this product.		
<b>Bioaccumulative potential</b>	No data available.		
<b>Mobility in soil</b>	No data available.		
<b>Mobility in general</b>	Not available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

**13. Disposal Considerations**

<b>Disposal instructions</b>	Review federal, state/provincial, and local government requirements prior to disposal. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

**14. Transport Information**

**Transport of Dangerous Goods (TDG) Proof of Classification** Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

**U.S. Department of Transportation (DOT)****Basic shipping requirements:**

<b>UN number</b>	UN1760
<b>Proper shipping name</b>	Corrosive liquids, n.o.s.
<b>Technical name</b>	HYDROGEN CHLORIDE
<b>Hazard class</b>	Limited Quantity - US
<b>Subsidiary hazard class</b>	8
<b>Packing group</b>	II
<b>Special provisions</b>	B2, IB2, T11, TP2, TP27
<b>Packaging exceptions</b>	<1.3 Gallons - Limited Quantity
<b>Packaging non bulk</b>	202
<b>Packaging bulk</b>	242


**Transportation of Dangerous Goods (TDG - Canada)****Basic shipping requirements:**

<b>UN number</b>	UN1760
<b>Proper shipping name</b>	CORROSIVE LIQUID, N.O.S.
<b>Technical name</b>	HYDROGEN CHLORIDE
<b>Hazard class</b>	Limited Quantity - Canada
<b>Subsidiary hazard class</b>	8
<b>Packing group</b>	II
<b>Special provisions</b>	16


Packaging exceptions

<1L - Limited Quantity

DOT



TDG




---

### 15. Regulatory Information

---

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number**

Isopropanol (CAS 67-63-0) 1 TONNES

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Hydrochloric acid (CAS 7647-01-0) Class B

**WHMIS 2015 Exemptions** Not applicable

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Hydrochloric acid (CAS 7647-01-0) Listed.

Isopropanol (CAS 67-63-0) Listed.

**US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity**

Hydrochloric acid (CAS 7647-01-0) 5000 LBS

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Hydrochloric acid	7647-01-0	5 - 10*

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Hydrochloric acid (CAS 7647-01-0)



**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Hydrochloric acid (CAS 7647-01-0)

**Clean Water Act (CWA) Hazardous substance  
Section 112(r) (40 CFR  
68.130)**

**US state regulations**

**US - California Hazardous Substances (Director's): Listed substance**

Acetic acid, phenylmethyl ester (CAS 140-11-4) Listed.  
Hydrochloric acid (CAS 7647-01-0) Listed.  
Isopropanol (CAS 67-63-0) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

Hydrochloric acid (CAS 7647-01-0)  
Isopropanol (CAS 67-63-0)

**US - Louisiana Spill Reporting: Listed substance**

Hydrochloric acid (CAS 7647-01-0) Listed.  
Isopropanol (CAS 67-63-0) Listed.

**US - Minnesota Haz Subs: Listed substance**

Acetic acid, phenylmethyl ester (CAS 140-11-4) Listed.  
Hydrochloric acid (CAS 7647-01-0) Listed.  
Isopropanol (CAS 67-63-0) Listed.

**US - New Jersey RTK - Substances: Listed substance**

Acetic acid, phenylmethyl ester (CAS 140-11-4)  
Hydrochloric acid (CAS 7647-01-0)  
Isopropanol (CAS 67-63-0)

**US - North Carolina Toxic Air Pollutants: Listed substance**

Hydrochloric acid (CAS 7647-01-0)

**US - Texas Effects Screening Levels: Listed substance**

2,6-Octadienal, 3,7-dimethyl- (CAS 5392-40-5) Listed.  
Acetic acid, phenylmethyl ester (CAS 140-11-4) Listed.  
Citric Acid (CAS 77-92-9) Listed.  
Hydrochloric acid (CAS 7647-01-0) Listed.  
Isopropanol (CAS 67-63-0) Listed.  
Lactic Acid (CAS 79-33-4) Listed.

**US. Massachusetts RTK - Substance List**

Hydrochloric acid (CAS 7647-01-0)  
Isopropanol (CAS 67-63-0)

**US. New Jersey Worker and Community Right-to-Know Act**

Hydrochloric acid (CAS 7647-01-0)  
Isopropanol (CAS 67-63-0)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Hydrochloric acid (CAS 7647-01-0)  
Isopropanol (CAS 67-63-0)

**US. Rhode Island RTK**

Hydrochloric acid (CAS 7647-01-0)  
Isopropanol (CAS 67-63-0)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/	3
FLAMMABILITY		0
PHYSICAL HAZARD		1
PERSONAL PROTECTION		X



### Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

### Issue date

17-April-2018

### Version #

03

### Effective date

20-March-2018

### Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

### Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Redbook revision # 11, 12/5/16